

Floating, Decorative Fountains

1400JF Fountains

¼ HP Floating, Decorative Fountain

Kasco Marine's 1400JF and 1400JFL, 1/4hp floating decorative fountains will beautify any small backyard pond or water garden. They can be used in residential applications as well as entry-way ponds.

The 1400JFL includes 5 interchangeable nozzle heads and integrated LED lights. The complete package includes the completely assembled fountain, mooring / anchoring lines, 50' power cord, the 5 interchangeable nozzles, C-25 control box, and the LED light ring. It can also be ordered without lights (model 1400JF).

On model 1400JFL, Kasco's unique LED Light Ring provides a beautiful Amber color to the 1400JFL, 1/4 HP Floating Aerating Fountain for dazzling nighttime displays. The LED bulbs provide ample light for all the patterns included with the 1400JFL Floating Aerating Fountain and have a life expectancy of 100,000 hours. All while using very little electrical power. The LED Light Ring includes 50' of underwater rated power cord and a built in Low Voltage Transformer. The LED Light Ring is designed for use with the 1400JFL Floating Aerating Fountain and should be plugged into the "LIGHT" outlet in the C-25 Control Box.

Osprey



3.5'H x 7' W

Falcon



4' H x 4' W

Condor



Inner 4' H x 4' W
Outer 2' H x 10'W

Hawk's Nest



3' H x 7' W

Eagle's Nest



3.5' H x 10' W

3400JF Fountains

¾ HP Floating, Decorative Fountain

Kasco Marine proudly presents the popular 3400JF model. It is great for medium size ponds and when multiple fountain patterns are desired. The 5 fountain patterns range from 7' in height to 20' in diameter. With 5 multiple fountain patterns, you have the freedom to adjust the aerating fountain to fit your pond, weather conditions, and your tastes. It does a great job at adding oxygen and improving your pond or lake aeration.

The 3400JF Floating Aerating Fountain is available in 120V and 240V, 60Hz models. The 3400JF includes a GFCI protected control box. The C-25, 120V control with timer, GFCI protection, and photo eye for light operation comes standard. The 3400HJF is supplied with a state-of-the-art GFCB


protected control panel, model C-85. Add an optional Fountain Lighting Package to the 3400JF to extend its beauty into the nighttime hours.

Sequoia



7' H x 4' W

Linden




Inner 6' H x 3'
Outer 3.5' H x 18'W

Cypress




W6' H x 16' W

Willow



4.5' H x 15' W

Juniper



3' H x 20' W

4400JF Fountains

1 HP Floating, Decorative Fountain

This highly requested unit is perfect for medium size ponds and when multiple fountain patterns and pattern height are desired. It includes 5 interchangeable nozzles standard, patterns range in height and width and provide beautiful and stunning displays with up to 10' in height.

The 4400HJF is supplied with a state-of-the-art GFCB protected control panel, model C-85. Add an optional Fountain Lighting Package to the 4400JF to extend its beauty into the nighttime hours.

Sequoia



10' H x 6' W

Linden



8' H x 25'W 2 Tier

Cypress



7.5' H x 25' W

Willow



6' H x 23' W

Juniper



4' H x 27' W

8400JF Fountains

2 HP Floating, Decorative Fountain

The 8400JF (Single Phase) and 2.3JF (3 Phase) 2 hp floating decorative fountain is great for larger ponds or when multiple large patterns are desired. It comes standard with interchangeable nozzles, the 6 fountain patterns range from 22' in height to over 40' in diameter. With 6 multiple fountain patterns, you have the freedom to adjust the aerating fountain to fit your pond, weather conditions, and your tastes. The 8400JF & 2.3JF are precision-engineered to maximize oxygen flow and provide maximum benefit to your pond or lake.

It is available in a 240V Single Phase and 208/240Vac 3 Phase, and 60Hz model. The 8400JF, single phase unit is supplied with a state-of-the-art GFCB protected control panel, model C-85. The 2.3JF, 3 phase unit is supplied with a simple to use, all inclusive GFI protected 3 phase control panel, model CF-3235. Add an optional Fountain Lighting Package to extend its beauty into the nighttime hours.

Redwood




22' H x 7' W

Linden



Inner 18' H x 4'W
Outer 9' H x 30'W

Willow



12.5' H x 28' W

Juniper



8' H x 46' W

Birch



12' H x 11' W

Spruce



19' H x 10' W

3.1JF & 3.3JF Fountains

3 HP Floating, Decorative Fountain

Kasco Marine's 3.1JF (Single Phase) and 3.3JF (3 Phase), 3 hp Floating Decorative Fountains provide the power needed to adequately aerate larger ponds and provide eye-catching decorative displays. Each 3.1JF & 3.3JF is supplied with 5 different interchangeable nozzles, providing you with the versatility of 6 different patterns for displays of up to 24 feet in height or 45 foot in diameter. You can easily change nozzles to fit the specific pond dimensions, wind conditions and the desired aesthetic effect. The 3.1JF is available with an extremely efficient 240 volt Single Phase, 60 Hz motor. The 3.3JF is available with an extremely efficient 208/240V 3 phase, 60Hz motor. 50Hz versions also available.

The 3.1JF is supplied with a state-of-the-art GFCB protected control panel, model C-85. The 3.3JF, 3 phase unit is supplied with a simple to use, all inclusive GFI protected 3 phase control panel, model CF-3235. Add a Fountain Lighting Package to the 3.1JF or 3.3JF to extend its beauty into the nighttime hours. The 3.1 JF & 3.3JF boasts an innovative float design with a low profile in the water for enhanced appearance, plus an attractive decorative shape.

Redwood




Willow

Linden

Juniper

Birch

Spruce



24' H x 8' W

13' H x 35' W

Inner 19' H x 4.5' W
Outer 8' H x 35' W

9' H x 48' W

14.5' H x 10' W

21' H x 13' W

5.1JF & 5.3JF Fountains

5 HP Floating, Decorative Fountain

Kasco Marine's 5.1JF (Single Phase) and 5.3JF (3 Phase), 5 hp Floating Decorative Fountain or Decorative Fountain Aerator is great for larger ponds or when multiple large patterns are desired. The Kasco 5.1JF & 5.3JF Floating Aerating Fountains are unique for its size, in that, it comes standard with 6 interchangeable nozzles and can be operated without a nozzle to give you 7 fountain patterns ranging from 26' in height to 50' in diameter. With 7 multiple fountain patterns, you have the freedom to adjust the aerating fountain to fit your pond, weather conditions, and your tastes.

Kasco's 5.1JF & 5.3JF Floating Aerating Fountains do a great job at adding oxygen and improving your pond or lake aeration. The 5.1JF Floating Aerating Fountain is available in a 240V single phase, 60Hz model and the 5.3JF is available in 208/240V, 3 phase 60Hz.

The 5.1JF, 240V Floating Aerating Fountain also includes a GFCB protected control panel. The C-95, 240V Control Panel with Timer, GFCB protection, 120V GFI Protected Outlet for Lights, and Photo Eye for light operation comes standard with the 5.1JF Floating Aerating Fountain. Kasco recommends a licensed electrician to install the C-95 Control Panel and the wiring on the 5.1JF to hard-wire the Floating Aerating Fountain into the C-95 Control Panel.

The 5.3JF, 3 phase unit is supplied with a simple to use, all inclusive GFI protected 3 phase control panel, model CF-3235. Adding one or two Fountain Lighting Package to the 5.1JF or 5.3JF adds a touch of class to this beautiful fountain display during the nighttime hours.

Redwood





Linden

Willow

Juniper

Birch

Spruce



26' H x 8' W

Inner 20' H x 5' W
Outer 10' H x 35' W


14' H x 36' W

10' H x 50' W

14' H x 12' W

24' H x 15' W

Sequoia



21' H x 10' W

7.3JF Fountain

7.5 HP Floating, Decorative Fountain

Kasco Marine's 7.3JF, 3 Phase, 7.5 hp Floating Decorative Fountain provides the power needed to adequately aerate larger ponds and provide eye-catching decorative displays.

Each 7.3JF is supplied with 2 different interchangeable nozzles, providing you with the versatility of 3 different patterns for displays of up to 26 feet in height or 28 foot in diameter. You can easily change nozzles to fit the specific pond dimensions, wind conditions and the desired aesthetic effect. The 7.3JF, 3 phase unit is supplied with a simple to use, all inclusive GFI protected 3 phase control panel, model CF-3075. Add a Fountain Lighting Package to the 7.3JFF to extend its beauty into the nighttime hours.

Birch



14.5' H x 13'

Linden



W24' H x 28'

Sequoia



W26' H x 10' W

XStream Fountain 2400SF

½ HP Floating, Decorative Fountain

These fountains are perfect for enhancing large ponds with a stunning center display, or decorate small water gardens. This fountain has the ability to change to over 30 laminar stream patterns and also includes one high flow V-shaped pattern, with heights up to 8.5'. Includes multiple-pattern nozzle, dual debris screening, three mooring lines, and control panel with timer, ground fault interrupter, and photo eye for lights.



Premium Nozzles

Premium nozzles offer splendid beauty above and beyond the included patterns for the 2, 3, 5, and 7.5 HP J series fountains. They may be purchased separately and are held in place by three set screws for easy installation.

Madrone



Magnolia



Palm



Mahogany



Recommended Fountain for Size of Pond

Model Number	HP	Electrical Cord Length	Voltage/Phase	Running Amps	Recommended Pond Size	Minimum Depth
1400JF	1/4	50'	120 / 1	3.1	Up to 1/5 Acre	12"
3400JF	3/4	50', 100', 150', 200'	120 / 1	6.5	Up to 1/3 Acre	17.5"
3400HJF	3/4	50', 100', 150', 200', 250', 300', 400', 500'	240 / 1	2.9	Up to 1/3 Acre	17.5"
4400JF	1	50', 100', 150', 200'	120 / 1	11.3	Up to 1/2 Acre	19"
4400JF	1	50', 100', 150', 200', 250', 300', 400', 500'	240 / 1	5.7	Up to 1/2 Acre	19"
8400JF	2	50', 100', 150', 200', 250', 300', 400', 500'	240 / 1	11	Up to 1 Acre	20"
2.3JF	2	50', 100', 150', 200', 250', 300', 400', 500'	240 / 3	7.5	Up to 1 Acre	20"
3.1JF	3	50', 100', 150', 200', 250',	240 / 1	13.4	Up to 1.5 Acre	24"

		300', 400', 500'				
3.3JF	3	50', 100', 150', 200', 250', 300', 400', 500'	240 / 3	10.3	Up to 1.5 Acres	24"
5.1JF	5	50', 100', 150', 200', 250', 300', 400', 500'	240 / 1	20	Up to 2.5 Acres	26"
5.3JF	5	50', 100', 150', 200', 250', 300', 400', 500'	240 / 3	16	Up to 2.5 Acres	26"
7.3JF	7.5	50', 100', 150', 200', 250', 300', 400', 500'	240 / 3	20	Up to 3.5 Acres	28"

LED Lighting

Kasco offers several sizes and models of Low Voltage Lighting Packages for use with all Aerating Fountain models. A Low Voltage Lighting Package added to any Aerating Fountain model will greatly enhance the aesthetics of your pond or lake and extend the enjoyment of your Kasco Aerating Fountain into the evening and nighttime hours.

Large Fountain LED Lighting Package

Kasco's new LED lighting sets are ideal for any 1/2 to 7.5HP fountains. Reduced maintenance, no bulb changes, easy field replacement of fixtures, long lasting service, and a reduced price makes these lights a hit for any fountain. Available in 3 or 6 fixture sets, these will work on any Kasco fountains above 1/4HP in size.

Halogen Lighting Package

Kasco also offers Low Voltage Bronze Lights for use with the 2400VFX, 3400VFX, 3400HVFX, 3400JF, 3400HJF, 4400VFX, 4400HVFX, 8400VFX, 2.3VFX, 8400JF, 2.3JF, 3.1JF, 3.3JF, 5.1VFX, 5.3VFX, 5.1JF, 5.3JF, and 7.3JF Aerating Fountain Models. The Bronze Light Packages are available in two or three light kits. Each fixture is solid bronze with a clear lens, multiple seals, thermal overload protection, and clear 75W MR-16 Halogen bulbs.

You can also add two LR-375 Lighting Packages to any 2, 3, 5, and/or 7.5HP unit with additional brackets to create a brighter and more dramatic nighttime display.

Kasco also offers colored bulbs for dramatic effects. Each fixture has a 6' underwater rated cord that joins at a junction box with one main power cord returning to shore in 50', 100', 150', 200', 250', 300', or 400' cord length options. The Bronze Light Packages are of the highest quality and will illuminate your fountain patterns for breath taking nighttime displays.

